

INSTALLATION INSTRUCTIONS VIGOR ROLL BAR FOR 2019-2021 FORD RANGER

PART # RBV08B

Before Installation

- Please read the instruction completely for easy installation, which will also help you to avoid scratches or other potential damages to your appealing car.
- The figures here are for reference only and may have differences with the actual product you received, however they share the same assembly way.

Care and Cleaning

Parts list


- Mild soap may be used also to clean the Product.
- Please periodically check and retighten all the hardware and clean the investment for a refresh look.

| NO. | QTY | NAME | NO. | QTY | NAME | | | |
|-------------|-----|-------------------------|------|-----|-------------------------------|--|--|--|
| 1 | 1 | L off installation part | 2 | 1 | Pight installation part | | | |
| | | Left installation part | | | Right installation part | | | |
| 3 | 1 | Connection plate | 4 | 2 | LED light | | | |
| 5 | 1 | LED light line | 6 | 6 | Button head allen bolts M8_25 | | | |
| 7 | 6 | OD Hex nut M8 | 8 | 14 | Spring washer D8 | | | |
| 9 | 18 | CO Flat washer D8 | 10 | 1 | Allen wrench S=6 | | | |
| 1 | 1 | Front bracket (L) | (12) | 1 | Front bracket (R) | | | |
| | | | | | | | | |
| Page 2 of 5 | | | | | | | | |

| 13 | 1 | | 14 | 1 | |
|----|----|----------------------|------|----|--------------------------------|
| | | Rear bracket (L) | | | Rear bracket (R) |
| 15 | 1 | Allen wrench S=5 | 16 | 8 | Button head allen bolts M8_40 |
| 17 | 16 | O Flat washer D10 | (18) | 12 | Spring washer D10 |
| 19 | 12 | Hex nut M10 | 20 | 4 | Button head allen bolts M10_30 |
| 21 | 8 | T bolt M10_35 | 22 | 8 | Plastic block |
| 23 | 8 | Clamp | | | |


Installation Steps





Step2:

Install (123) and (4) with (6789) as below diagram shows.




Step 3: Connect brackets and roll bar with standard parts ① 18 19 20 as figure shows. For use without Utility Track in the truck:

Assemble roll bar with base on the truck with standard parts (8) (9) (16) (23).

For use with Utility Track in the trunk:

Assemble roll bar with base on the truck with standard parts 0 0 0 0 0.



Step 4: Test and make sure that the roll bar is steadily fixed, fully tighten all hardware. Step 5: Installation is finished, pick up all tools.



NOTE

Any damages and losses caused by improper installation and application, goes beyond our quality warranty.